Children's Mental Health Matters!

Dear Educator:

The Children's Mental Health Matters! Campaign is proud to introduce you to our new and revised Educator Resource Kit*. As a teacher, school administrator or school counselor, you are in a unique position to notice mental health problems that children may have and to help families understand these issues. This kit gives you the tools to facilitate that process.

Included in the kit are 21 fact sheets for teachers/school personnel. It is our hope that this kit will provide valuable resource information and links for educators on a wide range of behavioral health issues, including depression, suicide, self-injury, substance use and bullying. Feel free to make photocopies of any of the enclosed fact sheets and share them with teachers, administrators, assistants, school personnel and others.

The Campaign is co-sponsored by the Mental Health Association of Maryland (MHAMD) and the Maryland Coalition of Families (MCF), with support and resources provided by the Maryland Department of Health and Mental Hygiene-Behavioral Health Administration. The Campaign's goal is to raise awareness of children's mental health needs and enhance outreach efforts to families, communities and schools.

Should you need anything further, including additional Educator Resource Kits or other materials, please do not hesitate to contact Tiffany Thomas at tthomas@mhamd.org.

We appreciate your support of this important campaign and all you do for Maryland's children. Please visit www.ChildrensMentalHealthMatters.org for more information.

Sincerely,

ind J. Rainer

Linda Raines Chief Executive Officer MHAMD

Jame O. Plaginger

Jane Plapinger Executive Director MCF

* Additional funding for these resources has been provided by the Maryland State Department of Education and MD-AWARE (Advancing Wellness & Resilience Education.)

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

The Children's Mental Health Matters! Campaign is a collaboration of the Mental Health Association of Maryland (MHAMD) and the Maryland Coalition of Families (MCF) with support from the Maryland Department of Health and Mental Hygiene - Behavioral Health Administration. The Campaign goal, with over 250 partners and schools across the state, is to raise public awareness of the importance of children's mental health. For more information, please visit www.ChildrensMentalHealthMatters.org







Children's Mental Health Matters!

Facts For Educators

Attention-Deficit/Hyperactivity Disorder (ADHD)

ADHD is a disorder that affects approximately eight percent of school-age children. ADHD makes it difficult for children to pay attention or sit still. Until recently, it was believed that children outgrew ADHD in adolescence as hyperactivity often lessons during the teen years. However, it is now known that ADHD nearly always persists from childhood through adolescence and that many symptoms continue into adulthood. In fact, current research reflects rates of roughly two to four percent among adults. It is more common in males than females in childhood, but equally prevalent in males and females in adulthood.

ADHD is characterized by developmentally inappropriate levels of:

- Inattention trouble focusing, getting distracted, trouble keeping attention, making careless mistakes, losing things, trouble following through on things, poor organization, doesn't seem to be listening
- Impulsivity acting without thinking, interrupting, intruding, talking excessively, difficulty waiting for turns
- **Hyperactivity** trouble sitting still, fidgeting, feeling restless, difficulty engaging in quiet activities

3 Types of ADHD

- ADHD Combined Type (Classic ADHD) trouble with inattention, hyperactivity and impulsivity
- ADHD Predominately Inattentive Type trouble with attention, sluggish; most common type, often picked up later than the other types
- ADHD Predominately Hyperactivity Impulsive Type trouble with impulsivity and hyperactivity; occurs more often in younger children

Given the high prevalence of ADHD, most classrooms will have at least one child or adolescent with ADHD. Although individuals with this disorder can be very successful in life, without proper identification and treatment, ADHD may have serious consequences, including school failure, family stress and disruption, depression, problems with relationships, substance use, delinquency, risk for accidental injuries and job failure. Additionally, at least two thirds of individuals with ADHD have another co-existing condition, such as learning problems, anxiety or behavior problems. Early identification and treatment are extremely important. Teachers are often the first to notice the symptoms of ADHD.

What can educators do about it?

When a teacher suspects ADHD, it is important to first speak with the child's parents or caregivers. It is important to work in partnership with parents and mental health experts to develop an intervention plan as quickly as possible when these warning signs occur, because a quick response has been found to increase the probability of successful outcomes. Effective ways to engage parents include:

- Encouraging them to share their view about their child
- Asking them to express their concerns about their child's academic and behavioral performance
- Asking questions to determine that you have full information
- Discussing with parents the best ways (e.g. phone calls, notes) to communicate with them on a regular basis

www.ChildrensMentalHealthMatters.org







How is ADHD diagnosed?

A good assessment consists of:

- Parent and teacher ratings of behavior
- Behavioral observations in the classroom
- Clinical interview with parents

• IQ/achievement testing to assess for learning disabilities There are several types of professionals who can diagnose ADHD including school psychologists, clinical psychologists, clinical social workers, nurse practitioners, neurologists, psychiatrists and pediatricians.

Once diagnosed, ADHD in children often requires a "multi modal" comprehensive approach to treatment which includes:

- Parent and child education about diagnosis and treatment
- Behavior management techniques
- Medication
- School programming and supports

Specific classroom strategies include:

- Setting up a school-home note system
- Being consistent
- Using praise and rewards frequently
- Using at least five times as many praises as negative comments
- Ignoring mild inappropriate behaviors that are not reinforced by peer attention
- Using commands/reprimands to cue positive comments for children who are behaving appropriately that is, find children who can be praised each time a reprimand or command is given to a child who is misbehaving
- Allowing frequent movement breaks
- Using multi modal teaching tools
- Using active tasks for learning
- Unsing appropriate commands and reprimands
 - Use clear, specific commands
 - Give private reprimands at the child's desk as much as possible
 - Reprimands should be brief, clear, neutral in tone, and as immediate as possible
 - Identifying a peer buddy to help with organizational tasks
- Giving the student a separate, quiet place to take tests
- Allowing inattentive students extra time on tests
- Breaking large tasks down into smaller tasks
- Mixing high-interest and low-interest task/topics

Resources/Links

Center for Children and Families, University of Buffalo: Free downloadable forms and resources for clinicians, caregivers, and educators working with children ADHD http://ccf.buffalo.edu/resources_downloads.php

Maryland State Department of Education

http://www.msde.maryland.gov/MSDE/divisions/ studentschoolsvcs/student_services_alt/ADHD/index.html

National Resource Center on ADHD

A Program of CHADD, funded through a cooperative agreement with the Centers for Disease Control and Prevention. http://www.help4adhd.org/index.cfm

U.S. Department of Education

A Resource for School and Home www.ed.gov/teachers/needs/speced/adhd/adhd-resource-pt1.

pdf Teaching Children With Attention Deficit Hyperactivity Disorder: Instructional Strategies and Practices http://www2.ed.gov/rschstat/research/pubs/adhd/adhdteaching.html

Teaching Children With Attention Deficit Hyperactivity Disorder: Instructional Strategies and Practices: A guide developed by the U.S. Department of Education, Office of Special Education and Rehabilitative Services, Office of Special Education Programs, for educators working with students with ADHD

www.ed.gov/teachers/needs/speced/adhd/adhd-resource-pt2.pdf

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Aggressive Behaviors

Aggressive, negative, defiant, destructive, or hostile behavior may be symptoms of ADHD co-occurring with disruptive behavior disorders, such as oppositional defiant disorder or conduct disorder. Aggression has different components: **verbal** (e.g. insults or threats), **behavioral** (e.g. pounding, throwing things, or violating personal space), and **emotional** (e.g. raised voice or looks angry). What is seen as aggression can vary between individuals and across cultures. If you are concerned that a young person is becoming aggressive, you need to take steps to protect yourself and others. A child may not be able to explain that the aggressive behavior is related to a mental health challenge, disorder, or severe emotional distress. Sometimes, aggression takes the form of instigating a fight, sometimes the child simply provokes others to fight, or antagonizes and threatens other children. These children, often referred to as "bullies," usually have few true friends, poor social skills, and little self-confidence.

What causes aggression in children?

The aggressor will rarely have self-confidence and gains it through aggressive behavior. Aggressors are attention seekers and they enjoy the attention they gain from being aggressive. Power brings attention and the aggressor has learned this. Due to the child's weaker self-image and the fact that he or she doesn't fit in, they try aggressive behavior and soon become leaders, even though they usually know that they are behaving inappropriately.

What can educators do about it?

• Never ignore inappropriate aggressions and do not get drawn into a power struggle with the aggressor

• Be firm but gentle in your approach. Remember, the aggressor can handle the tough side of you, but he/she will succumb to gentleness and it's really what he/she wants the right kind of attention.

• Deal one to one with the aggressor and devise a plan for him/her to take control of his/ her behavior. See behavior contracts in below resources included.

• Successful teachers know that when they establish a one to one relationship with the aggressor, success soon follows. Remember,

the aggressor can usually tell if you genuinely like him/her. Be genuine, this child merely needs attention.

• Provide opportunities for this child to act appropriately and get some badly needed attention. Give him/her responsibilities and provide praise.

• Catch the aggressor behaving well and provide immediate, positive feedback. In time, you will see that the aggressive behaviors will start to diminish.

• Provide him/her with activities that bring forth leadership in a positive way. Always let him/her know that you care, trust and respect him. Remind him/her that it's the inappropriate behaviors that you don't like.

• Provide as many methods as you can for this child to take ownership for his/her inappropriate behavior.

• Probe him/her with how an issue should have been handled and how will it be handled next time.

Never forget that ALL children need to know you care about them and that they can contribute in a positive way. It took the child a long time to become a master of aggressive behavior. Be consistent, patient and understand that change will take time. (Copied from: http://specialed.about.com/cs/ behaviordisorders/a/aggression.htm)





coordinated by



maryland coalition of famili

Resources/Links

Behavior Contracts http://specialed.about.com/cs/behaviordisorders/a/ behaviorcontrac.htm

American Academy of Adolescent and Child Psychiatry, Understanding Violent Behavior in Children:

https://www.aacap.org/App_Themes/AACAP/docs/facts_for_ families/55_understanding_violent_behavior_in_children_ and_adolscents.pdf

Aggressive Behavior Provides definitions, prevention strategies, and parent concerns: http://www. healthofchildren.com/A/Aggressive-Behavior.html

Effective Strategies to Address Disruptive Behaviors. Developed by Faculty and Staff of The University of Maryland School of Medicine, Department of Psychiatry, Center for School Mental Health http://www.schoolmentalhealth.org/PowerPoints/

disruptive%20students%20with%20notes.ppt

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Anxiety Disorders

Children and adolescents with anxiety disorders have extreme feelings of panic, fear, or discomfort in everyday situations. Anxiety is a normal reaction to stress. However, when the anxiety becomes excessive, irrational and/or overbearing, and an individual has difficulty functioning, it has become a disabling disorder. Anxiety disorders may develop from a complex set of risk factors, including genetics, brain chemistry, personality and life events.

Affecting people of all ages, anxiety disorders are the most common type of mental health disorder in children, affecting nearly 13 percent of young people¹ and 40 million American adults. Overall, nearly one quarter of the population will experience an anxiety disorder over the course of their lifetimes².

Common types of anxiety disorders:

Panic Disorders

• Characterized by unpredictable panic attacks. Common symptoms are: heart palpitations, shortness of breath, dizziness and anxiety. These symptoms are often confused with those of a heart attack. If you are not sure what the symptoms are attributing to, call 911. **Specific Phobias**

• Intense fear reaction to a specific object or situation (such as spiders, dogs or heights) which often leads to avoidance behavior. The level of fear is usually inappropriate to the situation and is recognized by the sufferer as being irrational.

Social Phobia

• Extreme anxiety about being judged by others or behaving in a way that might cause embarrassment or ridicule and may lead to avoidance behavior.

Separation Anxiety Disorder

• Intense anxiety associated with being away from caregivers, results in youth clinging to parents or refusing to do daily activities such as going to school.

Obsessive-Compulsive Disorder (OCD)

• Individuals are plagued by persistent, recurring thoughts (obsessions) and engage in compulsive ritualistic behaviors in order to reduce the anxiety associated with these obsessions (e.g. constant hand washing). **Post-Traumatic Stress Disorder (PTSD)** • PTSD can follow an exposure to a traumatic event such as natural disasters, sexual or physical assaults, or the death of a loved one. Three main symptoms are: reliving of the traumatic event, avoidance behaviors and emotional numbing, and physiological arousal such as difficulty sleeping, irritability or poor concentration.

Generalized Anxiety Disorder (GAD)

• Experiencing six months or more of persistent, irrational and extreme worry, causing insomnia, headaches and irritability.

Why is this important?

Given that the prevalence of anxiety disorders is over one in ten youths, most classrooms will have at least one child or adolescent with an anxiety disorder. In order to better serve the needs of the students, teachers need to have a familiarity with these disorders, their symptoms and the effective strategies that can be used to assist in treatment. Because anxiety disorders often cause serious consequences such as school failure, absenteeism, classroom disruption, the inability to complete basic tasks, family stress and impaired social relationships, the understanding, compassion and support of educators is essential to better accommodate students with these disorders.



coordinated by





www.ChildrensMentalHealthMatters.org

What can educators do about it?

When a teacher suspects an anxiety disorder, it is important to first speak with the child's parents or caregivers. It is important to work in partnership with parents and mental health experts to develop an intervention plan as quickly as possible when these warning signs occur, because a quick response has been found to increase the probability of successful outcomes.

Effective ways of engaging parents include:

- Encouraging them to share their view about their child
- Asking them to express their concerns about their child's academic and behavioral performance
- Asking questions to determine that you have full information
- Discussing with parents the best ways (e.g. phone calls, notes) to communicate with them on a regular basis
- Become familiar with the common symptoms of anxiety disorders in children and adolescents, making the appropriate referral when the disorders are suspected.
- Inform parents of any academic or social problems a child may experience, especially if the child appears anxious, has problems completing tasks, or is isolated by his or her peers.
- Once diagnosed, specific classroom interventions include:
- Accommodate student's late arrival and provide extra time for changing activities and locations, because transitions and separation are frequently difficult for children with anxiety disorders.
- Recognize that often it is a youth's anxiety that causes him or her to disregard directions, rather than an intentional desire to be oppositional.
- Develop a "safe" place where the youth can go to relieve anxiety during stressful times or provide calming activities.
- Encourage the development of relaxation techniques that can work in the school setting; often these can be adapted from those that are effective at home.
- Work with a child regarding class participation and answering questions on the board, understanding that many anxious youth fear answering incorrectly.
- Encourage small group interactions and provide assistance in increasing competency and developing peer relationships.
- Reward the child's efforts.
- Provide an organized, calming and supportive environment.
- For maximum effectiveness, foster feedback from youth about these interventions.

 http://www.mentalhealth.samhsa.gov/publications/allpubs/ CA-0007/default.asp#8
 http://www.mhww.org/GAD%20Fact%20Sheet.pdf

Resources/Links

Anxiety Disorders Association of America assists those with anxiety disorders with finding a therapist, understanding their disorder and treatment recommendations, and offers inspirational stories and support groups. It has a special section devoted to children and adolescents. http://www. adaa.org/AboutADAA/introduction.asp

The Anxious Child – Handout for parents created by the American Academy of Child and Adolescent Psychiatry. https://www.aacap.org/App_Themes/AACAP/docs/facts_for_ families/47 the anxious child.pdf

Bright Futures - Tips for Parenting the Anxious Child — Free handout for parents.

http://www.brightfutures.org/mentalhealth/pdf/families/mc/ tips.pdf

Freedom from Fear details strategies family members can use when a relative is diagnosed with an anxiety disorder. http://www.freedomfromfear.org/aanx_factsheet.asp?id=27

Massachusetts General Hospital School Psychiatry Program and MADI Resource Center provides a wealth of information on anxiety disorders, with specific information on symptoms, treatments, and interventions for families, educators and clinicians.

http://www.massgeneral.org/conditions/condition. aspx?ID=185&type=conditions

Psych Central offers anxiety screening quizzes, detailed information on the symptoms and treatment options available for anxiety disorders, and online resources such as websites, relevant book information and support groups. http://psychcentral.com/disorders/anxiety

Worry Wise Kids lists the red flags that can alert parents to each individual anxiety disorders details the steps parents can take if they suspect their child suffers from an anxiety disorder and supplies parenting tips for helping anxious youth. http://www.worrywisekids.org

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Bullying

Bullying may be physical or verbal. Teasing, ignoring or intentionally hurting another child are all types of bullying. Harassment and sexual harassment are also considered forms of bullying. Bullies may be large and aggressive, but they also could be small and cunning. Victims of bullying have poor self-confidence and typically react to threats by avoiding the bully. Both bullies and their victims make up a fringe group within schools. Those children who bully want power over others. Both bullies and their victims feel insecure in school. Boys typically bully by using physical intimidation. Girls bully in a less obvious manner by using social intimidation to exclude others from peer interactions.

Why is this important?

When compared to their developmental peers, students who bully their peers are:

• More likely to react aggressively to conflict in the classroom.

• More likely to engage in disruptive behavior.

• More likely to display signs of depression.

Less likely to gain acceptance by classmates.More likely to bring a weapon with them to

school.

What can educators do about it?

• Model pro-social behavior that asserts the self-worth of each individual student. Explain to students the balance between appearing too passive and acting too aggressive towards others.

Actively observe student behavior in the classroom. Do certain people always sit on the fringes of the classroom? What students almost never participate in class discussion?
Speak with parents to see if additional stressors at home contribute to the bullying dynamic. Is the child the victim of abuse or neglect? If you think this could be a possibility, follow your school procedures.

Include discussions of conflict-resolution in your lesson plan. Find creative ways to engage all students in group work during class time.
Ask school clinicians to present on consequences of bullying. Explain to students the negative cycle of bullying and how it can have fatal consequences. • Become familiar with the bullying prevention curriculum in your school. In Maryland, state law requires that all public schools include a bullying prevention component within their curriculum. See Maryland State Department of Education website for more information: http://www. marylandpublicschools.org/MSDE/divisions/ studentschoolsvcs/student_services_alt/ bullying/

Resources/Links

AACAP Facts for Families Bullying: http://www.aacap.org/App_Themes/AACAP/ docs/facts_for_families/80_bullying.pdf

Centre for Children and Families in the Justice System – Bullying, Information for Parents and Teachers: http://www.lfcc.on.ca/ bully.htm.

Stop Bullying Packet:

http://www.kidscape.org.uk/assets/ downloads/ksstopbullying.pdf.

Bullying Fact Sheet:

http://www.childline.org.uk/pdfs/infobullying-parents.pdf.

Guide for Teachers and Administrators: http://www.police.govt.nz/service/yes/ nobully/.







From the National Association of School Psychologists: Bullying: Facts for parents and teachers by Cohen, A., & Canter, A. (2003). http://www.naspcenter.org/factsheets/ bullying_fs.html.

Name calling and teasing: Strategies for parents and teachers, by Levy, B.M. (2004). http://www.nasponline.org/ resources/handouts/revisedPDFs/namecalling.pdf

Bullies and victims: Information for parents by Sassu ,K.A.,

Elinoff, M.J., Bray, M.A., & Kehle, T.J. http://www.nasponline.org/resources/bullying/bullying_ primer.pdf.

Bullying Awareness Guidebook. Students Staying Safe in School.

http://www.accreditedschoolsonline.org/bullying-awareness-guidebook/

Technical Assistance Bulletin for Implementing Maryland's Model Policy to Address Bullying, Harassment, or Intimidation. Division of Student, Family, and School Support, Division of Special Education/Early Intervention Services. November 2013

http://www.marylandpublicschools.org/msde/divisions/ studentschoolsvcs/student_services_alt/bullying/docs/ BullyingPrevention_TAB.pdf

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Crisis Management

A crisis can happen at any time. Crises such as a school shooting, student suicide or death of a teacher can emotionally debilitate teachers and students. If a family or friend has been seriously injured, a friend killed, a home damaged or school environment changed, there is a greater chance that the child will experience difficulties coping. Whatever the circumstance, the emotional effects on children can be tremendous. These external factors have a direct impact on the child's mental and emotional feelings. This could result in the need for crisis management and intervention.

Why is crisis information important?

When compared to their developmental peers, children in crisis:

- Have lower levels of academic performance
- Are more likely exhibit changes in behavior
- Are more likely to feel more anxious or worried than usual
- Are more likely to have anger or conduct problems
- Are more likely to isolate themselves from friends or family, or have a sudden, new group of friends
- Might have the inability to concentrate
- Are more likely to hurt other people, destroy property, or harm themselves
- May resort to drugs and/or alcohol to
- ameliorate the pain
- Are at risk for suicide

Age appropriate reactions and related symptoms associated with crisis:

- Sadness and crying
- School avoidance
- Physical complaints (headache or stomach ache)
- Poor concentration
- Irritability
- Regressive behavior
- Aggressive behavior
- Anxiety
- Confusion
- Withdrawal/social isolation
- Attention seeking behavior

Early Adolescence

- Withdrawal/isolation from peers
- Loss of interest in activities
- Rebelliousness
- Generalized anxiety
- School difficulty, including fighting
- Fear of personal harm
- Poor school performance
- Depression
- Concentration difficulties

Adolescence

- Anxiety and feelings of guilt
- Poor concentration and distractibility
- Psychosomatic symptoms (e.g., headaches)
- Antisocial behavior
- Agitation or decrease in energy level
- Poor school performance
- Peer problems
- Withdrawal
- Loss of interest in activities once enjoyed

When is help needed?

Help from a physician or mental health professional will be needed if the child or adolescent:

- Threatens or attempts suicide
- Has reactions that interfere with daily functioning over a prolonged period of time
- Re-experiences the trauma through flashbacks, hallucinations or constant reenactment through play with other children

www.ChildrensMentalHealthMatters.org







- Exhibits aggressive, violent or intensely irrational behavior
- Excessively uses alcohol and/or drugs

What can educators do about it?

- Become a more active observer of student behavior in and around the classroom.
- Consult with school personnel who are trained in crisis response and crisis intervention.
- Inform caregivers and school clinicians about your observations of the student.
- Educate students regarding likely responses to the crisis.
- Give students an opportunity to discuss their feelings and reactions to the crisis.
- Create a feedback loop with caregivers and school clinicians to reassess student symptoms.
- Ask school clinicians to present on different treatment approaches for crisis intervention and management.
- Use empathy and listen in a non-critical and nonjudgemental manner when students are discussing their feelings.
- Allow students to express themselves through other modes of communication, especially those students who are hesitant to verbalize their feelings.
- Develop classroom activities and assignments, and homework assignments that address students' feelings regarding crisis.

Crisis intervention is ongoing. Further discussions may need to ensue and address residual feelings regarding the crisis.

Resources/Links

National Association of School Psychologists Depression in adolescents: When it really hurts to be a teenager. Helping Children at Home and School II: Handouts for Families and Educators by Cash, R. (2004).

http://www.nasponline.org/resources/intonline/depression.pdf

National Association of School Psychologists Communiqué Depression: Helping students in the classroom. Vol. 35(3) by Huberty, T. (2006). http://www.nasponline.org/publications/ cq/cq353depression.aspx

National Center for PTSD. PTSD in children and adolescents by Hamblen, J. (2002).

http://www.ptsd.va.gov/professional/treatment/children/ ptsd_in_children_and_adolescents_overview_for_ professionals.asp National Alliance on Mental Illness Family guide: What families should know about adolescent depression and treatment options. http://www2.nami.org/Content/ ContentGroups/CAAC/FamilyGuidePRINT.pdf

Youth Suicide Prevention School Program. Maryland State Department of Education.

http://www.marylandpublicschools.org/msde/divisions/ studentschoolsvcs/student services alt/suicide/index.html

Mental Health First Aid Maryland

http://www.mhfamaryland.org/

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Cultural Competence

Children's Mental

Health

Matterson

A MARYLAND PUBLIC

AWARENESS CAMPAIGN

coordinated by

MENTAL HEALTH ASSOCIATION OF MARYLAND

naryland coalition of familie

Maryland is a culturally, ethnically, and racially diverse state. Culture shapes people's attitudes, beliefs and behaviors. Everyone is a member of multiple cultural groups, based on race, ethnicity, faith, region of country, type of work, level of education, physical ability or disability status, sexual identity and so forth. If you are working with youth that have different cultural backgrounds from your own, there can be additional communication challenges. Many communities have agencies that provide services for specific cultural and ethnic populations.

Why is this important?

In today's classroom, the cultural differences that exist between teachers and their students are numerous. Diversity may exist with regard to race, culture, religion, language, sexual orientation and socioeconomic status. In addition, many students in the classroom are faced with stressors such as homelessness, unavailability of caretakers, abuse, teen parenting, trauma, and community violence, which can negatively impact their academic performance. Unfortunately, within schools, many students are also faced with discrimination from other students as well as school staff, due to a lack of understanding or empathy with regard to the variations in beliefs, practices, and values of different cultural groups. Since ethnic minority children have higher rates of suspension/expulsion, special education placement and school dropout, it is evident that numerous disparities exist within the education system. Culture has a significant impact on beliefs and attitudes about child development, identification of problems and judgment about the best way to intervene when problems do occur. Furthermore, each of us operates within an individual culture, which espouses specific beliefs that determine how we interact with others and interpret their actions. Cultural variations in expressions of behavior may contribute to misunderstandings and conflict, which can be decreased through enhancing multicultural awareness.

What can educators do about it?

- Recognize the cultural diversity and uniqueness of students and learn as much as you can about your students' cultural background.
- Recognize that socioeconomic and political factors have a significant impact on the psychosocial functioning of culturally and ethnically diverse groups.
- Recognize the diversity that exists within minority groups.
- Develop an awareness of your own cultural and ethnic background and acknowledge differences in the culture between you and your students.
- Identify your biases and prejudices and determine how they affect your expectations of students and your relationships with them and their families.
- Use instructional strategies and curriculum that are sensitive to cultural differences.
- Continuously request and accept feedback from students and their families.
- If you are present when bullying, harassment and/ or discrimination takes place, follow school procedures, work with colleagues, families, partnerships and students to stop the bullying, harassment and/or discrimination.
- Promote tolerance and understanding of cultural differences.

www.ChildrensMentalHealthMatters.org

Resources/Links

Culturally Responsive Teaching from The Education Alliance at Brown University: hhttp://www.brown.edu/academics/ education-alliance/teaching-diverse-learners/strategies-o/ culturally-responsive-teaching-o

How is Cultural Competence Integrated in Education? Provides information about cultural competence and highlights the importance of cultural competence in

programs that serve children with or at risk of developing mental health problems.

http://cecp.air.org/cultural/Q_integrated.htm

Mental Health: Culture, Race, and Ethnicity A Supplement to Mental Health: A Report of the Surgeon General. Documents the disparities in access, guality and availability

of mental health services for ethnic minorities and proposes recommendations for improvement. http://www.ncbi.nlm. nih.gov/books/NBK44243/

The Multicultural Education and Ethnic Groups website provides several internet resources about multicultural education and diversity at http://www.library.csustan.edu/ lboyer/multicultural/main.htm

The Multicultural Pavilion has a multitude of resources about multicultural education including a multicultural quiz, trainings, workshops, curriculum, and links to other websites. Visit their website at http://www.edchange.org/multicultural/

The New Freedom Commission on Mental Health,

Subcommittee on Cultural Competence — report addressing the disparities in health care, the role of culture in service delivery, and making several policy recommendations for improving the health care system. http://govinfo.library.unt.edu/mentalhealthcommission/ subcommittee/Sub_Chairs.htm

Preparing Educators for High Poverty/Culturally and Linguistically Diverse Schools: A Manual for Teacher Educators, Teachers, and Principals. Maryland State Department of Education.

http://marylandpublicschools.org/MSDE/ divisions/certification/progapproval/docs/

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Depression

Students with symptoms of depression exhibit many behaviors that cause significant impairment in social or academic functioning. These symptoms include irritability, diminished interest in daily activities, social withdrawal, physical complaints, and declining school performance. The diagnostic criteria for major depression reflect the developmental differences between adults and children who suffer from the disorder. Educators may notice changes in the students appearance including clothing, hygiene, as well as interaction with other students.

Why is this important? When compared to their developmental

peers, students with depression:

- Are less likely to participate in school activities.
- Are more likely to disrupt classroom activities.
- Are more likely to skip class and miss time away from school.
- Are more likely to engage in risky behavior, such as substance use.
- Are more likely commit suicide.

What can educators do about it?

When a teacher sees any of these signs, it is important to first speak with the child's parents or caregivers. It is important to work in partnership with parents and mental health experts to develop an intervention plan as quickly as possible when these warning signs occur, because a quick response has been found to increase the probability of successful outcomes.

Effective ways of engaging parents include:

- Encouraging them to share their view about their child
- Asking them to express their concerns about their child's academic and behavioral performance
- Asking questions to determine that you have full information
- Discussing with parents the best ways (e.g. phone calls, notes) to communicate with them on a regular basis

Classroom strategies include:

- Become a more active observer of student behavior in and around the classroom.
- Consider different factors that may contribute to symptoms of depression. Look at each student on an individual, caseby-case basis.
- Inform caregivers and school clinicians about your observations of the student.
- Help other school staff members learn how to identify the symptoms of depression.
- Teach school staff how to respond to "cries for help" from students with depression.
- Create a feedback loop with caregivers and school clinicians to reassess student symptoms.
- Ask school clinicians to present on different treatment approaches for childhood depression.

Resources/Links

National Association of School Psychologists Depression in Children and Adolescents: Information for Families and Educators. http://www.nasponline.org/resources-andpublications/families-and-educators

Times of Tragedy: Preventing Suicide in Troubled Children and Youth, Part I: Tips for Parents and Schools

http://www.nasponline.org/resources-andpublications/resources/school-safety-andcrisis/preventing-youth-suicide/preventingyouth-suicide-tips-for-parents-and-educators



Children's Mental Health Mattersor A MARYLAND PUBLIC AWARENESS CAMPAIGN





Times of Tragedy: Preventing Suicide in Troubled Children and Youth, Part II: Tips for School Personnel or Crisis Team Members http://www.nasponline.org/resources/crisis_safety/ suicidept2_general.aspx

When it hurts to be a teenager. Principal Leadership Magazine, Cash, R. (2004). 4(2). http://www.naspcenter.org/ principals/nassp-depression.html

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Early Childhood Mental Health

Learning doesn't begin when children start school, it begins at birth. By the time children turn three, they have already begun to lay the foundation for the skills and abilities that will help them succeed in school. Problem solving, toleration frustration, language, negotiating with peers, understanding routines, and self-control are all skills that are developed early in life. The pace of brain development in this stage of life far exceeds growth in subsequent life stages. Research tells us that early experiences can, and often do, impact brain development.

Supporting a child's social and emotional development is a critical component of school-readiness. Parents and caregivers can help children to identify and express emotions, foster secure relationships, encourage exploration, and provide a secure base for the child.

What are social-emotional skills?

Broadly, social-emotional skills encompass a wide variety of skills children need to develop in order to build and maintain healthy social relationships and to understand how to effectively manage emotions.

Why are social-emotional skills important?

Children's mental health or the social and emotional domain is an important domain of development. A child must have social and personal skills to get along with other people, to have self-respect, and to believe they can learn in school. Developing strong social and emotional skills are critical to a child's success in school and at home. Research suggests that children with strong social and emotional skills in kindergarten are more successful than children who do not have strong skills in this area of development.

How do we teach social and emotional skills?

Children begin building these skills from birth, largely from observing and interacting with others.

We can teach social and emotional skills by:

- remodeling pro social behavioral
- labeling children's and adults feelings
- fostering friendships

- teaching the steps for problem solving
- reading books about social and emotional topics (like feelings and friendship)
- doing activities that foster empathy, kindness and compassion
- re-framing our view of behavior think of all behavior from children as a communication of what they may need or want or be unable to say
- using positive discipline strategies
- using and modeling self-calming techniques
- giving children lots of praise and reinforcement

Behaviors that warrant concern

Infants and Toddlers (birth to age 3)

- Chronic feeding or sleeping difficulties
- Inconsolable "fussiness" or irritability
- Incessant crying with little ability to be consoled
- Extremely upset when left with another adult
- Inability to adapt to new situations
- Easily startled or alarmed by routine events
- Inability to establish relationships with other children or adults
- Excessive hitting, biting and pushing of other children or very withdrawn behavior Preschoolers (ages 3 to 5)
- Compulsive activities (e.g., head banging)
- Wild, despairing tantrums
- Withdrawn; shows little interest in social interaction
- Repeated aggressive or impulsive behavior
- Difficulty playing with others







- Little or no communication; lack of language
- Loss of earlier developmental achievements

Childhood Traumas

What is Traumatic Stress?

Research has shown that exposure to traumatic events early in life can have many negative effects throughout childhood and adolescence, and into adulthood. Children who suffer from child traumatic stress are those who have been exposed to one or more traumas over the course of their lives and develop reactions that persist and affect their daily lives after the traumatic events have ended.

What Is Resilience?

Resilience is the ability to adapt well over time to lifechanging situations and stressful conditions. While many things contribute to resilience, studies show that caring and supportive relationships can help enhance resilience. Factors associated with resilience include, but are not limited to:

- The ability to make and implement realistic plans;
- A positive and confident outlook; and
- The ability to communicate and solve problems.

Factors that contribute to childhood trauma:

- Caregiver's competencies
- Neglect
- Witnessing domestic violence
- Witnessing community violence
- Emotional, physical, or sexual abuse
- Loss of caregiver

Symptoms of Traumatic Stress:

- Re-experiencing the event, reenactments
- Avoidance and general numbing of responsiveness
- Increased arousal

What does it look like?

- Changes in play
- New fears
- Separation Anxiety
- Sleep disturbances
- Physical complaints
- Distress at reminders
- Withdrawal, sadness, or depression
- Easily startled
- Difficulties with attention, concentration, and memory
- Acting out, irritability, aggression

Programs that Support Early Childhood Mental Health:

- Home Visiting programs
- Early Head Start
- Head Start
- Judy Centers

Resources

The Center for Social and Emotional Foundations for Early Learning. Vanderbilt University http://csefel.vanderbilt.edu

Early Childhood Mental Health Consultation Project

http://marylandpublicschools.org/MSDE/divisions/child_care/ program/ECMH.htm

The Promise Resource Center

http://thepromisecenter.org/

Social Emotional Foundations of Early Learning https://theinstitute.umaryland.edu/SEFEL

The Backpack Series

http://www.challengingbehaviors.org

Free Spirit Publishing: The Getting Along Series

http://www.freespirit.com/catalog/item_detail.cfm?ITEM_ ID=509

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Eating Disorders

An Eating Disorder is a psychological condition that manifests itself in unhealthy eating habits. There are four diagnoses which are characterized by specific behaviors exhibited by the individual. Two primary behaviors are binging, the consumption of a large amount of food in a short period of time, and purging or self-induced vomiting. Misuse of laxative, diet pills, or water pills are also considered purging.

Bulimia Nervosa is the most common of the four diagnoses. It is characterized by a preoccupation with food and weight, binging and a compensation for binging by purging, excessive exercise or fasting. This pattern is accompanied by shame and secrecy.

Anorexia Nervosa is characterized by a refusal to maintain a normal weight for one's height, body type, age, and activity level; intense fear of becoming "fat" or gaining weight (extreme concern over one's weight); body image misconception; and loss of menstrual periods in females.

Binge Eating Disorder is characterized by binging, feelings of shame and self-hatred associated with binging, but no compensatory behavior such as purging.

Eating Disorders Not Otherwise Specified

covers all maladaptive eating behaviors that do not fit into the above diagnoses. Examples include: restricting food intake, meeting some but not all of the requirements for the above diagnoses, chewing food and spitting it out, or binging and purging irregularly.

Why is this important?

- Of the currently more than 10 million Americans afflicted with eating disorders, 90 percent are children and adolescents.
- The average age of eating disorders onset has dropped from 13-17 to 9-12.
- The number of males with eating disorders has doubled during the past decade.

Students with an eating disorder may:

- Exhibit low self-esteem and a poor body image.
- Be prone to mood swings, perfectionism and depression.
- Suffer from many physical problems such
 - Excessive weight loss
 - Irregularity or absence of menstruation in females
 - Hair loss

as:

- Severe digestive system problems
- Damaged vital organs
- Tooth and gum problems
- Swollen salivary glands due to induced vomiting
- · General malnutrition
- Dehydration
- Thinning of the bones resulting in osteoporosis or osteopenia
- Struggle in their relationships with their family and friends.
- Perform poorly in their academic performance.
- Jeopardize their overall health, including both physical and psychological health, with their unhealthy eating habits.
- Suffer from other psychiatric disorders such as depression, anxiety, obsessive compulsive disorder, and alcohol and drug dependencies.



MENTAL HEALTH ASSOCIATION OF MARYLAND

Children's Mental

Health

Matterson

A MARYLAND PUBLIC AWARENESS CAMPAIGN

coordinated by

www.ChildrensMentalHealthMatters.org

What can educators do about it?

- Discuss your concerns with the child's parents. Make sure to consult with the family.
- To assist with diagnosis of an eating disorder, always look for other psychiatric disorders. Eating disorders are mostly associated with other mental disturbances such as depression, mood disorders, and anxiety disorders.
- Schedule eating disorder information sessions for parents and caregivers. Discuss the symptoms and diagnoses of eating disorders and place emphasis on preventive measures.
- Correlate your efforts with teachers and school officials to add healthy lifestyle courses into the school's educational programs. Since treating eating disorders can be both lengthy and expensive, it is beneficial to use preventive measures before the problem arises.
- Research the best location and the most effective option for treatment in your area. Always be prepared to make a referral to parents and caregivers of the affected children with eating disorders.

A treatment plan should consist of cognitive behavioral, interpersonal and family therapy. A complete course of treatment should consider all of the contributing factors such as the person's own personality, environment, relationships and family.

Resources/Links

American Academy of Child & Adolescent Psychiatry Facts for families with teenagers with eating disorders. http:// www.aacap.org/App_Themes/AACAP/docs/facts_for_ families/o2_teenagers_with_eating_disorders.pdf

Academy for Eating Disorders About eating disorders/ diagnoses and more specifically, eating disorder diagnoses http://www.aedweb.org/

Starving to Death: Does My Child Have an Eating Disorder? http://www.empoweringparents.com/Starving-Themselvesto-Death.php

Dying to be Thin investigates the causes, complexities, and treatments for the eating disorders anorexia nervosa and bulimia nervosa. PBS also provides a teacher's guide to the film and activities to do in the classroom. This film is accessible at: http://www.pbs.org/wgbh/nova/thin/

Eating Disorders Facts About Eating Disorders and the Search for Solutions - http://www.nimh.nih.gov/publicat/ eatingdisorders.cfm

National Association of Anorexia Nervosa and Associated Disorders - http://www.anad.org/

National Eating Disorders Association Ten Things Parents Can Do to Prevent Eating Disorders http://dillarddrivems. wcpss.net/wp-content/uploads/10tipsforparents-eatingdisorders.pdf

When Food Becomes a Problem is a structured lesson plan that educates students about the dangers of eating disorders; it takes approximately 2 or 3 class periods to complete. All materials are accessible at: http://www.kids.pbs.org/itsmylife/ parents/lesson_plans/print_when_food_is_a_problem.html

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Family Involvement in School-Based Mental Health

Educators who understand that families generally are the ones most knowledgeable about their own children will be more likely to find a returned respect and spirit of collaboration with families. Educators who consult with families regarding concerns they may have about a child's mental health will benefit from family input and mutual collaboration. Teachers and other school personnel who are more informed about both family involvement in schools and children's mental health will be more likely to have success in teaching children with mental health needs. It has been established that children have greater academic success when families are involved in schools. Children with mental health disabilities certainly have the same, if not a greater need for their families and educators to work together. Educators who can approach families in a non judgmental and cooperative spirit are more likely to have success in working with the child with mental health needs.

Why is this important?

- Children have more school success when families are involved in their education
- Positive family and staff interaction help to
- achieve overall positive school climate
- Schools with strong family involvement see greater student achievement
- School staff and families who work

collaboratively for a student will be more likely to have student cooperation

What can educators do about it?

- Educate yourself about mental health
- diagnoses in children and adolescents

• Work in a spirit of mutual respect and cooperation with families to insure success for every child in school

• Adopt positive and effective communication strategies with all families

- Refer children to a mental health professional in your school if you have
- concernsContact families with concerns about their child
- Refer families to support and advocacy groups if the family requests that you do so

Resources/Links

Center for the Advancement of Mental Health Practices In Schools. College of Education, University of Missouri Website for involving families in schools. Tips For involving Parents http://education.missouri. edu

Maryland Coalition of Families for Children's Mental Health — a grassroots coalition of family and advocacy organizations dedicated to: Improving services for children with mental health needs and their families and building a network of information and support for families across Maryland. www. mdcoalition.org, 410-730-8267, Toll Free 1-888-607-3637

Mental Health Association of Maryland — Since 1915, the Mental Health Association of Maryland (MHAMD) has been a leader in progressive programs resulting in more effective treatment, improved outcomes for individuals, increased research and greater public understanding of the needs of children and adults living with mental illness. http://www.mhamd.org/, 443-901-1550, Toll Free 1-800-572-MHAM (6426)

www.ChildrensMentalHealthMatters.org







Mental Health First Aid Maryland — is an 8 hour course targeted to the general public. Mental Health First Aid is the initial help given to someone developing a mental health problem or in a mental health crisis before appropriate professional or other assistance, including peer and family support, can be engaged.

http://www.mhfamaryland.org/, 443-901-1550, Toll Free 1-800-572-MHAM (6426), MHFATraining@mhamd.org

NAMI Maryland — an advocacy organization for family and friends of people with serious mental illness, and people who have a mental illness. http://md.nami.org/ 410-863-0470, Toll Free Helpline 1-800-467-0075

Learning Disabilities Association of Maryland –promotes awareness and provides support to maximize the quality of life for individuals and families affected by learning and other disabilities.

www.ldamd.org

CHADD/Children and Adults with Attention-Deficit/

Hyperactivity Disorder Maryland Chapters – is the nation's leading non-profit organization serving individuals with AD/ HD and their families. Local chapters are in Baltimore City and Anne Arundel, Baltimore, Harford, Howard, and Montgomery Counties.

http://www.chadd-mc.org/

American Academy of Child and Adolescent Psychiatry Facts

for Families provides concise and up-to-date information on issues that affect children, teenagers and their families. http://www.aacap.org/AACAP/Families_and_Youth/Facts_ for_Families/FFF-Guide/FFF-Guide-Table-of-Contents.aspx

References

Partnering with families in expanded school mental health programs. Lowie, J. A., Lever, N. A., Ambrose, M. G., Tager, S. B., & Hill, S. (2003). In M. D. Weist, S. W.

Handbook of School Mental Health: Advancing Practice

and Research, Evans, N. A. Lever (Eds.) pp. 135-147. Kluwer Academic/Plenum Publishers: New York, NY.

Maryland Learning Links Family Engagement http://marylandlearninglinks.org/3556

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Gay, Lesbian, Bisexual, Transgender, Questioning Youth

GLBTQ/LGBTQ is a collective term to refer to Lesbian, Gay, Bisexual, Transgender and/or Questioning people. The term **gay** is used to refer to same-sex sexual orientation (both male and female). A **lesbian** is a female who is exclusively emotionally, sexually, romantically and/or aesthetically attracted to other females. The term **bisexual** is the human sexual orientation that refers to the aesthetic, romantic or sexual desire for people of either gender or of either sex. **Transgender** is an umbrella term for people whose gender identity and/or gender expression differs from what is typically associated with the sex they were assigned at birth. If an individual is said to be "**questioning**," it most often means that they are going through a phase of exploration and possible transition regarding his/her sexual orientation. Another definition is that the "questioning" period is the initial phase prior to "coming out."

The process of "**coming out**" describes the voluntary public announcement of one's (often homosexual or bisexual) sexual orientation, sexual attractions, or gender identity.

• "Being out" is when an individual does not

try to hide these characteristics.

• "Being outed" occurs when these characteristics are made public against one's wishes or against one's consent.

Homophobia is the fear of, aversion to, or discrimination against homosexuality or homosexuals. It can also mean hatred or disapproval of homosexual people, their lifestyles, sexual behaviors or cultures, and is generally used to assert bigotry.

Why is this important? GLBTQ students:

- Are far more likely to skip classes and drop out of school.
- Are at a higher risk for substance abuse.
- Are subjected to harassment, violent threats, physical/sexual assault, slurs, insults, and jokes (the average high school student hears 25 anti-gay slurs daily).
- Are more prone to depression and loneliness.
- Attempt suicide 2 to 3 times more frequently than their heterosexual peers.

What can educators do about it?

- Serve as a model for other students. Be sensitive to the language you use and put an end to any discriminatory jokes or language that you hear.
- Be an ally. Educate yourself as to the needs and experiences of GLBTQ youth and their families. Make yourself available to listen to problems that GLBTQ kids may be having both in school and at home. Indicate that you are an ally by placing a rainbow sticker or something similar on your classroom door.
- Help make schools safer. Urge your school to develop anti-discrimination policies protecting GLBTQ students from bullying, harassment, violence and discrimination. The American Psychological Association has created their own policies related to GLBTQ youth in the schools which can be found at http://www.apa.org/pi/lgbc/policy/youths. html.
- Speak with colleagues about the importance of protecting GLBTQ youth.
- Start a Gay/Straight Alliance (GSA). Recruit other allies from the faculty and student body to begin a student run club that serves as a safe place for anyone to come and discuss GLBTQ issues.

www.ChildrensMentalHealthMatters.org







If resistance is encountered by parents:

- Create a broad support network. Ensure that each person knows that the real issue is safety for students.
- Explain to parents that a GSA is not about "sex" or promoting homosexuality. Use evidence-based facts that support what you hope to accomplish.
- Some may feel that it is not part of the school's role. However, protecting students is part of a school's role.

Resources/Links

For information on starting a GSA at your school. http://www.gsanetwork.org/resources/start.html

It's Elementary: Talking about Gay Issues in School (Women's Educational Media, http://groundspark.org/our-films-and-campaigns/elementary) is a documentary that focuses on teachers challenging common stereotypes and mistreatment of gays within their own schools. The film shows children (some as young as first grade) reacting to information about the gay community and questions that are discussed in the classroom.

http://members.tripod.com/~twood/guide.html is a **resource** guide for different strategies to keep schools safe for GLBT students.

http://www.glsen.org/ is the **Gay, Lesbian & Straight Education Network.** Includes many resources from current research to education on putting policies into action.

"Providing Safe Spaces for Transgender and Gender Non-Conforming Youth: Guidelines for Gender Identity Non-Discrimination":

https://pflagmd.files.wordpress.com/2011/12/providing-safespaces-for-transgender-and-gender-non-conforming-youth. pdf

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

a Maryland public awareness campaign

Facts For Educators

Managing Classroom Behavior

Teachers are increasingly being asked to teach students with serious behavioral and emotional problems, due to the current emphasis on inclusion. As a result, teachers need to implement strategies to effectively manage their classrooms. Though the majority of children respond positively to approaches that emphasize positive, clearly-defined, school-wide expectations, a significant subgroup of students need more targeted interventions to prevent problem behavior patterns and to succeed in school. These children and adolescents typically need a modified classroom environment along with practice learning behavioral expectations that may differ from those they have learned outside the classroom.

What can educators do about it? There are specific things you can do in the classroom to prevent and manage problem behavior:

- Post four to five classroom rules that are simple, positively-framed (tell your kids what to do instead of what not to do), and easily seen. Include consequences for following or not following the rules.
- Be consistent in observing and following the rules.
- Make sure that your students understand what behavior is and is not acceptable.
- Try to move around the classroom often (teacher proximity helps), and try different seating arrangements to maximize positive interactions between groups of students.
- Use consistent routines for all classroom activities, from how to ask a question to what to do when requesting to use the rest room.


Carefully observe and measure what is really going on.

- Rather than defining what a student is doing wrong (hitting, getting out of his seat, yelling), ask yourself what the function of the behavior may be (i.e. are they trying to get something, like attention, or avoid something, like school work that is too difficult, by acting out?).
- Notice what is happening in your classroom both before and after a student misbehaves.
- Use one of the many tools available to keep

track of antecedents and consequences, which chart a student's behavior based on what is happening in the immediate environment. If, for example, Billy mostly acts out in math, then perhaps the material is too challenging, or the time of day is difficult (could he be hungry?), or he has trouble with a specific student or teacher. What happens after Billy acts out? Is he rewarded for his negative behavior by receiving attention from you or his peers? Has he been able to avoid doing the work?

Develop a plan to address the underlying motivation.

- Use your observations to develop a theory about why a student is misbehaving and address the underlying motivation. If Billy is acting out to get attention from peers, for example, then help him learn other ways of getting attention from peers, such as joining an activity or sharing something.
- Teach the student an alternate behavior and reinforce that behavior in a way that will give the student the same response (attention, feeling of competence, etc.).
- Help the student use the more appropriate behaviors by providing frequent feedback (verbal and non-verbal cues).
- Focus on the student's motivation and relate the material to his or her life.
- If the function of the behavior is to avoid doing work, try a different teaching technique, review directions, consider peer





coordinated by



maryland coalition of familie

tutoring or help the student with specific aspects of the work.

• Praise students frequently for replacement (good) behaviors.

Stigma and discrimination are associated with mental health challenges and disorders. Stigma involves negative attitudes (prejudice) and discrimination refers to negative behavior (such as exclusion from social activities). These attitudes and behaviors may hinder youth and young adults with problems from seeking help. They may be ashamed to discuss mental health problems with family, friends, or school staff. They may also be reluctant to seek professional help out of concern about what others will think of them. People with mental health challenges can begin to believe the negative things that others say about them. Better understanding of the experiences of young people with mental health challenges and disorders can reduce prejudice and discrimination.

Resources/Links

Center for Effective Collaboration and Practice (2000). Addressing Student Problem Behavior. Fact sheet on Functional Behavioral Assessment. http://cecp.air.org/fba/ default.asp

Observing and Measuring Behavior in the Classroom: Tools and Techniques. Helping Children at Home and School II: Handouts for Families and Educators. National Association of School Psychologists. McDougal, J. L. and Chafouleas, S. M. (2004). For a quick review of the table of contents, go to: http://www.nasponline.org/publications/booksproducts/ hchs2.aspx

Intervention Central offers free tools and resources to help school staff and parents to promote positive classroom behaviors and foster effective learning for all children and youth. www.interventioncentral.org

Minnesota Association for Children's Mental Health Fact sheets on specific disorder areas provide excellent tips information about educational implications, instructional strategies and classroom modifications appropriate to each disorder. http://www.macmh.org/publications/fact_sheets/ fact_sheets.php

National Association of School Psychologists Helping the Student with ADHD in the Classroom:

Information for Families and Educators. http://www. nasponline.org/resources/handouts/special%20needs%20 template.pdf

Mental Health America The country's leading nonprofit dedicated to helping ALL people live mentally healthier lives. www.mentalhealthamerica.net

Fact sheet on promoting children's mental health: http:// www1.nmha.org/children/children_mh_matters/promoting. cfm

Be Proactive in Managing Classroom Behavior. Intervention in School and Clinic, Babkie, A. M. (2006). 41(3), 184-187.

Classroom Behavior Management: A Dozen Common Mistakes and What to Do Instead. Preventing School Failure, Barbetta, P. M., Norona, K. L., and Bicard, D. F. (2005). 49(3), 11-19.

Classroom Factors Linked with Academic Gains Among Students with Emotional and Behavioral Problems. Gunter, P. L., Coutinho, M. J., and Cade, T. (2002). Preventing School Failure, 46(3), 126-132.

Evaluation of a Targeted Intervention Within a Schoolwide System of Behavior Support. Journal of Behavioral Education, Hawken. L. S., and Horner, R. H. (2003). 12 (3), 225-240.

Where to seek help for a mental disorder? National survey of the beliefs of Australian youth and their parents. Jorm, A.F., Wright, A., & Morgan, A.J. (2007) Medical Journal of Australia, 187: 556-60

Positive Behavioral Interventions & Support in the Classroom. http://marylandlearninglinks.org/2496

The Impact of School-Connected Behavioral and Emotional Health Interventions on Student Academic Performance http://www.healthinschools.org/School-Based-Mental-Health/ Revised-Annotated-Bibliography.aspx

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Medication Management

Psychiatric medications are any medications used to treat a mental health disorder (for example, ADHD, Depression). Medications under the prescription of a treating medical professional and when taken as prescribed, along with other non-medication interventions, can be important elements in the successful treatment of psychiatric disorders. Medications can help to control symptoms, make other kinds of treatment more effective, and most importantly, may help to reduce the barriers to learning and enhance school and life success.

Some facts to know:

- Medications do not cure psychiatric disorders
- Medications may not cure psychiatric disorders, but in many cases, along with other non-medication interventions (therapy, parent and teacher support), they can help a child or adolescent function despite continuing mental distress and difficulty coping effectively.
- Length of treatment depends on the individual and the disorder – Some children may only need to take medication for a set time period and then never need it again, while others may have to take medication for longer periods of time.
- Medications may not produce the same effect in everyone – Some children may respond better to one medication than another, often due to factors such as age, sex, body size, body chemistry, physical illnesses, diets and other treatments. Some may need larger doses versus smaller doses some may have side effects, while others may have no side effects. Some may experience minimal symptom relief as opposed to having complete symptom relief.
- Families and teachers often report that a combination of medication and therapy have allowed their child to participate in school much like other children, along with improved functioning at home.
- Medications should be used only when the anticipated benefits outweigh the risks.
- It is not unusual for children/adolescents

to require changes in dosages and/or medications over time. It is important to regularly monitor the impact of medications

Why is this important?

- Although many children and adolescents with mental health disorders can be very successful in life by utilizing non-medication interventions only (individual, group, or family therapy, parent and teacher support), medications may also be a factor that may help in the treatment of a mental health disorder or it may help to make these other forms of treatments more effective.
- Without proper identification and treatment, mental health disorders in childhood may have serious consequences, such as school failure, family conflicts, problems with relationships, problems developing social skills, substance abuse, delinquency, and even risk for accidental injuries and death.
- As with any intervention, a case-by-case decision making process is necessary depending on a child's diagnosis and individual needs. The decision to medicate should be made solely by the child's parents or caregivers, and a medical professional experienced in diagnosing and treating childhood disorders.

www.ChildrensMentalHealthMatters.org



coordinated by



maryland coalition of famil

What can educators do about it?

If you are wondering if medication can help a child in your class, express your concerns to the child's parent/caregiver and suggest referral to a medical professional. There are several types of professionals who can diagnose and treat mental health disorders, including school psychologists, clinical psychologists, clinical social workers, nurse practitioners, neurologists, psychiatrists and pediatricians.

What happens next:

The medical professional will meet with the child and family and a decision will be made concerning medication management. The child may then begin a trial of taking the medication while being monitored closely by the parent and the medical professional. It is recommended that parents/ guardians notify all caretakers (other family members, teachers, the school nurse/nurse practitioner, and others who are in charge of this child) when a child is taking medication; however, it is up to parent/guardian and the child as to whether they want to notify others. It is often helpful if others are aware so that they can also report favorable results and side effects and to also monitor the administration of the medication.

Your role if you are aware that a child is taking medication:

- Become educated on the medication if possible (see medical professional for verbal and written information that is available about the medication).
- Monitor the child in your class. Look for side effects and favorable results.
- If the child is taking medication in school, help to make sure the child takes the medication on the correct schedule.
- Ask parents or medical professionals if there are any foods or drinks that the child should avoid while taking the prescribed medications.
- Some families do not want others to know that their child is on medication for fear of rejection/ teasing or labeling. Please be discreet if you are aware that a child is on medication. If the school nurse is involved with the medication management, maintain a working relationship with him/her so that the child can receive the best care possible.

Resources/Links

American Academy of Child and Adolescent Psychiatry Discusses psychiatric medication for children and adolescents, how medications are used, types of medications, and questions to ask when becoming educated on medication management. http://www.aacap.org/ App_Themes/AACAP/docs/facts_for_families/21_psychiatric_ medication_for_children_and_adolescents_part_one.pdf and http://www.aacap.org/App_Themes/AACAP/docs/facts_ for_families/29_psychiatric_medication_for_children_and_ adolescents_part_two.pdf and http://www.aacap.org/ App_Themes/AACAP/docs/facts_for_families/51_psychiatric_ medication_for_children_and_adolscents_part_three.pdf

Children and Adults with Attention-Deficit/Hyperactivity Disorder (CHADD) – This website offers information detailed information regarding AD/HD. http://www.chadd.org/

NIMH – Link to a webpage/printable booklet to help consumers and families understand how and why medications can be used in treating mental health problems. Offers a children's medication chart that lists brand and generic names of medications under each of the main childhood disorders.

http://www.nimh.nih.gov/publicat/medicate.cfm

U.S. National Library of Medicine and the National Institute of Health (Medline Plus) – Offers an alphabetical list of drugs, supplements and herbal information. Provides an explanation of why this medication is prescribed, how this medicine should be used, precautions, side effects, storage conditions for the medicine, brand names and other important information. http://www.nimh.nih.gov/health/ publications/medications/complete-index.shtml

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

a Maryland public awareness campaign

Facts For Educators

Oppositional & Defiant Behaviors

All children are oppositional or aggressive from time to time, especially if they are tired, upset, or stressed. They may argue and talk back to teachers, parents, and other adults. Oppositional behavior is a normal part of development for toddlers and early adolescents. However, oppositional behavior becomes a serious concern when it is so frequent that it stands out when compared with other children of the same age. Students with Oppositional Defiant Disorder (ODD) show a pattern of negative, hostile and defiant behavior that lasts at least six months and impairs their ability to interact with caregivers, teachers and classmates. During this time period, the child or adolescent may often lose their temper, actively defy adults, and appear spiteful. Other symptoms may include frequent temper tantrums, blaming others for his or her mistakes or misbehavior, and being easily annoyed by others.

Why is this important?

Five to 15 percent of school-age children have ODD. When compared to their peers, children with ODD are more likely to have difficulties with academic performance and may engage in risky behaviors, including criminal activities and substance use. Without intervention, children with ODD are more likely to develop other problems including a conduct disorder, which involves a range of behaviors that include destruction of property, aggression towards people and animals, lying, stealing and serious violation of rules. Teachers are often the first to notice signs of ODD.

What can educators do about it?

When a teacher suspects ODD, it is important to first speak with the child's parents or caregivers. It is important to work in partnership with parents and mental health experts to develop an intervention plan as quickly as possible when these warning signs occur, because a quick response has been found to increase the probability of successful outcomes.

Effective ways of engaging parents include:

- Encouraging them to share their view about their child
- Asking them to express their concerns about their child's academic and behavioral performance
- Asking questions to determine that you have full information
- Discussing with parents the best ways (e.g.

phone calls, notes) to communicate with them on a regular basis

Refer the child or adolescent for an evaluation if ODD is suspected.

• There are several types of professionals who can diagnose ODD, including school psychologists, clinical psychologists, clinical social workers, nurse practitioners, psychiatrists and pediatricians.

Specific classroom strategies include:

- Set up a school-home note system
- Be consistent
- Use praise and rewards frequently
- Use at least five times as many praises as negative comments
- Ignore mild inappropriate behaviors that are not reinforced by peer attention
- Use commands/reprimands to cue positive comments for children who are behaving appropriately — that is, find children who can be praised each time a reprimand or command is given to a child who is misbehaving
- Use appropriate commands and reprimands
- Use clear, specific commands
- Give private reprimands at the child's desk as much as possible
- Reprimands should be brief, clear, neutral in tone, and as immediate as possible
- Clarify the consequences of misbehavior. When a student misbehaves, remember to follow through with the appropriate consequences.



coordinated by





www.ChildrensMentalHealthMatters.org

- Remember to make eye contact when requesting something of the student. This conveys the seriousness of the demand and the sincerity of your relationship with the student.
- Do not ask too much of a student at one time. Keep your requests short and simple. Avoid issuing ambiguous commands such as, "It would be nice if you stopped annoying the class." This statement does not tell the student what to do and embarrasses the student in front of classmates.
- Work with parents and school clinicians to create a reward system that is meaningful for the student and useful in the classroom.
- Provide feedback to caregivers and school clinicians by using daily report cards.

Resources/Links

Mental Health America is the country's leading nonprofit dedicated to helping ALL people live mentally healthier lives. www.mentalhealthamerica.net

Fact Sheet on Conduct Disorder: http://www. mentalhealthamerica.net/go/conduct-disorder

American Academy of Child and Adolescent Psychiatry Oppositional Defiant Disorder:

https://www.aacap.org/App_Themes/AACAP/docs/resource_ centers/odd/odd_resource_center_odd_guide.pdf http://www.aacap.org/App_Themes/AACAP/docs/facts_for_ families/72_children_with_oppositional_defiant_disorder.pdf **Conduct Disorder:** http://www.aacap.org/App_Themes/ AACAP/docs/facts_for_families/33_conduct_disorder.pdf **Violent Behavior:** https://www.aacap.org/App_Themes/ AACAP/docs/facts_for_families/55_understanding_violent_ behavior_in_children_and_adolscents.pdf

Oppositional Defiant Disorder and Conduct Disorder in

Children and Adolescents: Diagnoses and Treatment by Dr. Jim Chandler: http://www.klis.com/chandler/pamphlet/oddcd/ Oppositional%20Defiant%20Disorder%20in%20pdf.pdf

The Mayo Clinic discusses everything from the definition of ODD to lifestyle and home remedies to help change behaviors association with the disorder. http://www.mayoclinic.com/health/oppositional-

defiant disorder/DS00630

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Psychosis

Psychosis occurs when an individual loses contact with reality, resulting in severe disruptions in thinking, emotion and behavior. Psychosis can have a serious impact on a person's life. Relationships, work, school, other usual activities and self-care can be difficult to initiate or maintain. Psychosis can be present with many disorders including post-traumatic stress disorder, schizophrenia, psychotic depression, bipolar disorder, schizoaffective disorder and drug-induced psychosis. Symptoms for psychosis usually begin in late adolescence or early adulthood.

Psychosis affects the way a person thinks, feels and acts. Symptoms include:

- Hallucinations (hearing, seeing, tasting, smelling or feeling things that are not there)
- Delusions (fixed beliefs that are false, such as that one is being watched or followed)
- Disordered/confused thinking and difficulty concentrating
- Rapid changes in mood/feelings
- Behavior changes, including not taking care of or grooming oneself as usual or laughing at inappropriate times

One of the problems in psychosis is that the condition causes the brain to take in too much information all at once, which can leave a person feeling very overwhelmed. Also, the brain has a hard time seeing the differences between what is "real," what is a "dream," and what is a "fantasy." Individuals can believe that the information that their brains are giving them is real and occurring, even when it is clear to others that it is not.

Why is this important?

Experiencing symptoms of psychosis may disrupt a child's life. When psychosis is detected early, many problems can be prevented and the greater the chances are of a successful recovery. Mental illnesses with psychosis often develop between ages 15 to 25. This is a critical stage of life when teens and young adults are developing their identities, forming relationships, and planning for their future.

At school, a young person may

- Appear unmotivated
- Distance themselves from peers
- Show a decline in completing work, not do as good a job as they used to, or miss school
- Have inappropriate or no reactions to others
- Do things to drown out auditory hallucinations (e.g. listening to music on headphones in class)

These behaviors can all have an impact on school achievement, and some may result in disciplinary responses.

What can educators do about it?

Treatment for psychosis often involves the following:

- Learning treatment options and working with professionals
- Working with a mental health professional to learn coping skills
- Working with a physician to determine how medications can help
- Working with professionals that specialize in helping youth and young adults to manage relationships and jobs







Resources/Links

Maryland Early Intervention Program (EIP)

Offers specialized programs with expertise in early identification, evaluation, and comprehensive psychiatric treatment of adolescents and young adults at risk for, or in the early states of mental illness with psychosis. www.marylandeip.com

ReachOut

http://www.reachoutpsychosis.com/family/psychosis-amedical-illness-of-the-brain-how-to-spot-and-stop-psychosisearly/

National Association of Special Education Teachers

https://www.naset.org/

Johns Hopkins Bayview Medical Center, Early Psychosis

Intervention Clinic. Treats adolescents and young adults ages 14 to 24. 410-955-5212

http://www.hopkinsmedicine.org/psychiatry/specialty_areas/ schizophrenia/patient_information/treatment_services/early_ psychosis.html

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

a Maryland public awareness campaign

Facts For Educators Resilience: Promoting Positive Mental Health and Wellbeing

The Behavioral Health Administration, Child and Adolescent Resilience, Wellness and Prevention Committee has defined resilience as: "an innate capacity to rebound from adversity and change through a process of positive adaptation. For youth, resilience is a fluid, dynamic process that is influenced over time by life events, temperament, insight, skill sets, and the primary ability of caregivers and the social environment to nurture and provide them a sense of safety, competency, and secure attachments." Resilience is the ability to successfully navigate the inevitable stress, change, uncertainty and sorrows in life in a way that reinforces a sense of competency, and gratitude for others that have helped out along the way.

Everyday ways to promote resilience in schools

- Encourage alternative ways for parents to be actively engaged in their child's education
- Support the belief that all students are resilient, and have emerging skills to be nurtured
- Promote strategies that recognize the importance of social emotional learning
- Promote achievement in a broad array of settings to help foster intrinsic motivation
- Expand on successful efforts that continue to improve overall school climate

Further points to consider about resilience

Resilience is not a static concept, rather it can fluctuate over time, and across developmental stages and life domains and circumstances. This is true for individuals, families, communities, systems and organizations. People need to be resilient throughout their lives, and the ability of children to be competent and connected is often enhanced by how that is modeled and promoted by the adults in their lives.

Resilience is not only an ability to bounce back from trauma and adversity. It also includes everyday resilience. It is the capacity to be empathetic, grateful, and able to put things in perspective, which allows people to deal with the stress, challenges, and disappointments of everyday life. It is that cumulative resilience that helps support an overall sense of wellbeing and self-efficacy, and allows people to weather more severe adversities when they occur.

Resilience in people takes different pathways and involves adapting to an ongoing change process. This includes reflecting on the benefits of one's belief system, while interacting and successfully negotiating with external societal, career, and familial demands and expectations. There is also the interplay between trauma and resilience that needs to be based on the understanding and promotion of protective factors in mitigating risk.

Family, cultural, and gender differences in functioning and worldview need to be understood and valued in how resilience is viewed, while also understanding what role societal norms and individual differences have in evaluating assumed outcomes for any member of a given group. An example of this is the belief that girls are not good in math and science and the unfortunate consequences that belief has for the world, and for individual girls who might end up doubting and/or not pursuing their own gifts.

There is much in the field of neuroscience that shows that the brain/mind is capable of lifelong growth, resilience, adaptation, and plasticity. For all adults who work with and/ or raise children this is providing the scientific evidence that can support resilience based approaches that assumes a fundamental posit and belief that all children can flourish.



coordinated by





www.ChildrensMentalHealthMatters.org

Schools are universal settings for children to develop a love for learning, curiosity, self-efficacy, coping skills, peer relationships, task completion, and critical thinking skills. The cross over between academic and emotional and social engagement allows schools unique opportunities to help nurture educated, well rounded and resilient youth. This commitment is best seen in districts where Positive Behavioral Interventions and Supports (PBIS), and a focus on efforts to enhance school climate are most integrated. However, it is also recognized that schools are asked to deliver much more than academic instruction to students, and that the demands for social and behavioral health services that children can bring into the classrooms often stretch fundamental purpose and resources. This in turn can impact on school climate and workforce development issues where the organizational concerns of retention and professional resilience of good school personnel needs ongoing support.

What Schools Can Do To Promote Resilience in Students, Staff, and Policies

- Promote fairness and consistency in ways students and staff can understand and respect
- Engage students to feel competent and valued before they become disconnected
- Recognize how trauma or life events can affect the ability of a student to learn and focus
- Encourage and support organizational and professional resilience
- Promote efforts to achieve academic excellence, and a lifelong love of learning
- Support universal, selected, and indicated prevention activities
- Expand on approaches that enhance the self-efficacy of both staff and students
- Increase activities that foster student and family engagement and partnerships
- Advocate for more behavioral health supports for classrooms
- Encourage ways to engage students through alternative and adaptive learning styles
- Seek to find a balance between standardized testing and the essentials of learning
- Promote a sense of coherence and shared purpose that values all school staff input
- Make community service hours meaningful for the student's sense of civic responsibility
- Have goals that link increased student engagement to

reducing discipline referrals

- Find ways to have community promote the value of a good education
- Help students embrace learning as something that is fun, engaging, and creative
- Show appreciation of the value teachers have in the wellbeing of future generations

Resources

PBIS

http://www.marylandpublicschool.org/MSDE/divisions/ studentschoolsvcs/student services alt/PBIS/ and CMHM School Services Fact Sheet

National Resilience Resource Center

www.nationalresource.com

Resiliency Institute, Resilient Schools

www.resiliencyinstitute.com/resilientschools

Science of Resilience: Harvard Graduate School of Education www.gse.harvard.edu/news/uk/15/03/science-resilience

Resilience, School Connectedness and Achievement www.cde.ca.gov

UCLA Center for Education http://smhp.psych.ucla.edu/qf/resilience.html

Publisher Clearinghouses with Resilience Articles / Resources ERIC -Education Resource Information Center - Review of **Research on Educational Resilience** www.eric.ed.gov

WestEd Organization

www.wested.org

Scientific Research Academic Publisher www.scirp.org

This Fact Sheet was adapted from a longer set of documents, including a resilience poster, developed by the Maryland Behavioral Health Administration Child and Adolescent Resilience, Wellness and Prevention Committee. To download these or to learn more, please visit www.childrensmentalhealthmatters.org or contact Joan Smith at joan.smith@maryland.gov.

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

School Services

School is a major part of a child's life and a child with mental health needs can experience challenges that make it difficult to be successful in school. You may need to collaborate with other school personnel to best support your students. Your school does provide a range of services that can help each child succeed.

Individualized Education Program (IEP)

Children with more intensive mental health needs may qualify for special education services under the federal law called Individuals with Disabilities Education Act (IDEA). IDEA requires that children with a disability receive additional services (IEP) to help them in school. A child with mental health needs must show certain characteristics to qualify for special education as a child with an "emotional disability."

"(i) Emotional Disability is a condition exhibiting one or more of the following characteristics over a long period of time and to a marked degree that adversely affects a child's education performance:
1. an inability to learn that cannot be explained by intellectual, sensory, or health factors
2. an inability to build or maintain satisfactory

interpersonal relationships with peers or teachers

3. inappropriate types of behavior or feelings under normal circumstances

4. a general pervasive mood of unhappiness or depression

5. a tendency to develop physical symptoms or fears associated with personal or school problems

(ii) Emotional Disability includes schizophrenia. The term does not apply to children who are socially maladjusted, unless it is determined that they have an emotional disturbance."

In addition, in order to be eligible for services under IDEA, the student, by reason of their disability, must require special education and related services." Note that the definition of Emotional Disability is not a diagnosis or medical term, but rather a term used in the federal education law to designate eligibility for special education. Under IDEA, if a child is found eligible, the student is entitled to an Individualized Educational Program (IEP) that is designed to meet their unique needs.

It is important to **know your rights.** A Parents Guide to Understanding Your IEP: Rights and Responsibilities can be found at http://www. marylandpublicschools.org/msde/divisions/ earlyinterv/docs/IEP/IEP-Parents-Guide_ Condensed-IEP-RR-32015-revised.pdf.

504 Plans


Children with mental health needs who do not qualify for special education may qualify for services under another federal law. Section 504 of the Rehabilitation Act's definition of disability is broader than the IDEA's definition. To be protected under Section 504, a student must be determined to: have physical or mental impairment that substantially limits one or more major life activities; or have a record of such an impairment; or be regarded as having such an impairment.

Examples of what might be included:

- Adjustment to test taking (more time, questions given orally)
- Seating near the blackboard or near the teacher
- Excused from class to take medications
- Allowed to eat in class because of diabetes

Who is responsible for a 504 Plan?

- The student (if appropriate)
- Parent or Legal Guardian
- Teacher
- Administrator



www.ChildrensMentalHealthMatters.org







• School 504 Coordinator (may be a staff person on the Student Support and/or Child Study Teams)

Others who may be included, as appropriate:

• School Counselor, Social Worker and/or Psychologist

- Physician, Psychiatrist, or other health professional
- Mental Health Clinician
- Speech/Language Pathologists
- Occupational Therapist/Physical Therapist

Social and Emotional Foundations for Early Learning (SEFEL)

In Maryland, SEFEL is focused on promoting the social and emotional development and school readiness of young children between birth and five years of age. SEFEL's Pyramid model is being integrated into the effective practices to enhance young children's social and emotional competence and to prevent challenging behaviors. Visit https://theistitute. umaryland.edu/SEFEL or

http://csefel.vanderbilt.edu/ for more information.

Positive Behavioral Interventions and Supports

PBIS Maryland has been implemented in more than 900 schools across all 24 local school systems. The goals of PBIS are to promote a positive school climate, reduce disruptive behaviors, and create safer, more effective schools for all students. The emphasis of PBIS is on rewarding positive behaviors rather than focusing on reactive, punitive practices. For more information, see http://www.marylandpublicschool. org/MSDE/divisions/studentschoolsvcs/student_services_alt/ PBIS/.

Medication at School

Sometimes it is necessary for children to take medication during school hours. Schools have very strict regulations governing medications at school. A form completed by a child's doctor is required and can be downloaded from the Maryland State Department of Education website: http:// marylandpublicschools.org/NR/rdonlyres/8D9E900E-13A9-4700-9AA8-5529C5F4C749/3341/medicationform404.pdf

All medication must be in containers labeled by the pharmacist or doctor and an adult must bring the medication to school. Non-prescription medication must be in the original container with the label intact.

Resources on Special Education

Maryland State Department of Education

http://MarylandLearningLinks.org http://www.msde.maryland.gov/NR/rdonlyres/5F4F5041o2EE-4F3A-B495-5E4B3C850D3E/22829/ BuildingIEPswithMarylandFamilies_WebVersion.pdf

Maryland Association of Nonpublic Special Education Facilities (MANSEF)

http://www.mansef.org

Maryland Disability Law Center

http://www.mdlclaw.org/wp-content/uploads/2010/02/pubspecial-ed-handbook-Sept-2009.pdf

Resources on 504 Plans

Office of Civil Rights, Protecting Students with Disabilities: Frequently Asked Questions About Section 504 and the Education of Children with Disabilities http://www2.ed.gov/ about/offices/list/ocr/504faq.html

Resources on IEPs

Resources related to IDEA and its implementing regulations, released on August 3, 2006. http://idea.ed.gov

Understanding the Evaluation, Eligibility, and Individualized Education Program (IEP) Process in Maryland. Maryland State Department of Education, 2008.

http://www.hcpss.org/f/special/understanding_iep.pdf

The Technical Assistance Center on Positive Behavioral Interventions and Supports. www.pbis.org

National School Climate Center. Promotes positive and sustained school climate: a safe, supportive environment that nurtures social and emotional, ethical, and academic skills.

www.schoolclimate.org

Maryland Learning Links Family & Community Support Services.

http://marylandlearninglinks.org//olms2/3462 https://connect.johnshopkins.edu/mdiepparentoverview/

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Self-Injurous Behaviors

Students who exhibit self-injurious behavior perform deliberate and repetitive acts of injuring their own body as a way to cope with overwhelming feelings and thoughts. Some forms of self-injurious behavior include cutting, carving, scratching, burning, branding, biting, bruising, hitting, and picking and pulling skin and hair. Self-injury has been found to occur in 10 to 20 percent of middle and high school students in the United States. Self-injury is a serious illness that is often accompanied by other mental health problems like depression, obsessive-compulsive disorder or anorexia nervosa.

Why is this important?

- Students who exhibit self-injurious behavior have difficulty verbally communicating their feelings with others.
- Students who exhibit self-injurious behavior are more likely to engage in other types of risky behavior, such as substance or alcohol abuse.
- Students who exhibit self-injurious behavior are more likely to isolate themselves from classmates.
- Students may inadvertantly seriously harm themselves

What can educators do about it?

Do not ignore suspicious injuries you have noticed on a young person's body. If you suspect that a student is deliberately injuring themselves:

- Discuss the situation with the child's parents or caregiver. It is important to let the child's family know of your suspicions. Ask the family to help the student seek available resources.
- Offer support and reassurance to the student. It is important not to alienate a self-injuring student but rather to build trust.
- Students should be under supervision at all times, until they have been assessed as safe or given over to the care of their parents.

- Be aware that the student's behavior is usually a symptom of a more serious underlying problem. Talk to the student about what's going on in his/her life that could be triggering this behavior.
- Notify the school clinicians about the student's behavior, and ask them to provide additional information and resources to the students and caregivers.

www.ChildrensMentalHealthMatters.org







Resources/Links

American Academy of Child and Adolescent Psychiatry. Facts for Families No. 73: Self-Injury in Adolescents. http://www. aacap.org/App_Themes/AACAP/docs/facts_for_families/73_ self_injury_in_adolescents.pdf

National Association of School Psychologists http://www.nasponline.org/resources/principals/Self-Mutilation%20March%2004.pdf

Mental Health America The country's leading nonprofit dedicated to helping ALL people live mentally healthier lives. www.mentalhealthamerica.net

Fact Sheet on Self-Injury http://www.mentalhealthamerica.net/self-injury

S.A.F.E Alternatives (Self-Abuse Finally Ends):

http://www.selfinjury.com

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Substance Use

In 2013, the National Institute on Drug Abuse found that approximately 8.5 percent of all 8th graders, 19.4 percent of all 10th graders and 25.5 percent of all 12th graders have tried an illegal drug. Drug use may be higher among kids who have dropped out of school. Sixty percent of high school seniors do not view regular marijuana use as harmful, which is nearly double from 30 years ago. After marijuana, prescription and over-the-counter medications account for most of the top drugs abused by 12th graders in the past year. Studies show that 39.2 percent of high school seniors have used alcohol. About 4 in 10 people who begin drinking before age 15 eventually become alcoholics. Other psychiatric disorders often coexist with substance use problems and need assessment and treatment. Adolescents who abuse drugs often act out, do poorly academically, and drop out of school. They are at risk for unplanned pregnancies, violence, and infectious diseases. As a teacher who spends a lot of time with kids, you can play a critical role in helping to identify and get help for those students at risk for or engaged in alcohol or drug use.

Why is this important?

Drugs and alcohol contribute to a host of problems for our children, including:

- Poor academic performance
- Memory and learning problems
- Truancy and absenteeism
- Problems with family and peer relationships and a lack of empathy for others
- A tendency to engage in other risky activities and to feel invulnerable
- An increased risk for moving on to more dangerous drugs, and developing dependency or addiction

While all children are at risk of using drugs and alcohol, the following risk factors significantly increase the chance that a child will develop a serious alcohol or drug problem:

- Having a family history of substance use, dependency or addiction
- Experiencing emotional or psychological problems
- Low self-esteem
- Not feeling connected to family, school or community

What can educators do about it?

Research has documented that family involvement and classroom-based prevention programs are the most effective means of addressing substance use among youth.

- Watch for signs of substance use:
 - Moodiness or irritability
 - Argumentative, disruptive, rulebreaking behavior
 - \cdot Sudden mood or personality changes
 - Low self-esteem or depression
 - Poor judgment; irresponsible behavior
 - Social withdrawal; pulling away from family
 - · Change in former activities or friends
 - · General lack of interest
- Discuss the situation with the child's parents or caregiver.
- Notify the appropriate school staff (e.g., school counselor or mental health provider, school principal) if you suspect a student is using drugs or alcohol.
- Let your students know that you do not approve of drug or alcohol use. Develop a personal relationship with your students, and share your concerns about their safety and well-being.
- Create a positive classroom environment where students feel comfortable talking

www.ChildrensMentalHealthMatters.org



coordinated by



maryland coalition of familie

with you and sharing feelings. Listen carefully to what they are telling you, and let them know that you are a resource of support if they should need it.

- Encourage students to develop different ways to refuse substance use. Examples include:
 - Switching topic ("Hey, did you hear about the game last night?")
 - Using an excuse ("I can't, I'm meeting a friend in 10 minutes")
 - Put the "blame" on others/parents ("My mom would kill me if she found out")
 - Walk away
 - State the facts ("No thanks, I've read about what drugs can do to your body")
- Educate yourself. Seek out resources that give current information regarding what drugs are out there and specific signs of use. Children are beginning to use at younger ages and teachers often spend more time with students than their parents. It is important to be up to date to ensure the safety of your students.
- Educate your students. Give them factual information about drugs and alcohol. It is important to challenge myths and to give them accurate information about the dangers of substance use.
- Remind your students that they will be reported if they come to school in possession of drugs or alcohol, or under their influence.
- Let your students know that you will contact their parents if you suspect drug or alcohol use. Follow through on parent contact should the need arise, but let students know that you will be contacting their parents so as not to violate their trust.
- Discuss your concerns and possible responses with your principal or other school administrators.

Resources/Links

Building Blocks for a Healthy Future A website developed by the U.S. Substance Abuse and Mental Health Services Administration (SAMHSA) with practical information about helping your preschool and elementary school-aged children make good choices and develop a healthy lifestyle: http://www.bblocks.samhsa.gov/Educators/

National Institute on Drug Abuse: Provides links to facts on specific drugs for parents and teachers as well as age appropriate curriculum regarding drug education. http://www.nida.nih.gov/parent-teacher.html National Council on Alcohol and Drug Dependence is particularly focused on alcohol use and abuse. For a list of specific signs that a student may be in trouble with alcohol: https://ncadd.org/index.php/for-parents-overview/what-tolook-for

Monitoring the Future is an annual survey, under a grant from the National Institute on Drug Abuse, of 8th, 10th, and 12th graders measuring drug, alcohol, and cigarette used and related attitudes nationwide.

http://www.drugabuse.gov/related-topics/trends-statistics/ infographics/monitoring-future-2013-survey-results

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Suicide Prevention

Suicide is the act of taking one's own life. Suicide is the second leading cause of death among youth ages 15-24 and it accounts for 12.3% of all deaths among 15-24 year olds. Approximately 11 parents/caregivers lose a child (between the ages of 15-24) to suicide every day and for every completed suicide by a youth, it is estimated that 100 to 200 attempts are made. In Maryland in 2005, there were 86 families who lost a child between the ages of 10-25 to suicide. However, building strong family relationships, having the knowledge of the risks and warning signs of suicide/depression, and having access to prevention and intervention resources will often decrease the likelihood of suicide.

Warning signs may include:

- Depressed mood
- Frequent episodes of running away or being incarcerated
- Family loss or instability, significant problems with parent
- Expressions of suicidal thoughts, or talk of death or the afterlife during moments of sadness or boredom
- Withdrawal from friends and family
- Difficulties in dealing with sexual orientation
- Disinterest in or enjoying activities that once
- were pleasurableUnplanned pregnancy
- Impulsive, aggressive behavior, frequent
- expressions of rage • Alcohol and/or drug abuse
- Engaging in high risk behaviors (e.g., firesetting, involvement in cults/gangs, cruelty to animals)
- Social isolation and poor self-esteem
- Witnessing or being exposed to family violence or abuse
- Having a relative who committed or attempted suicide
- Being preoccupied with themes and acts of violence in TV shows, movies, music, magazines, comics, books, video games, and internet sites
- Giving away meaningful belongings

Research has shown that gay, lesbian, bisexual, transgendered, and/or questioning (GLBTQ)

youth are more than twice as likely to attempt suicide than straight peers. However, sexual orientation is not noted on death certificates in the U.S. so exact completion rates are difficult to report. Studies have also confirmed that GLBTQ youth have higher rates of suicidal ideation than their straight peers and often have more severe risk factors. It is important to note that being GLBTQ is not a risk factor in and of itself; however, minority stressors that GLBTQ youth encounter – such as discrimination and harassment – are directly associated with suicidal behavior as well as indirectly with risk factors for suicide.

Warning signs specific to GLBTQ youth may include:

- A high rate of victimization/bullying
- Difficulties in dealing with sexual orientation
- Lack of family acceptance

IMPORTANT: Some children may exhibit many warning signs yet appear to be coping with their situation and others may show no signs and yet still feel suicidal. The only way to know for sure is to ask your student and to consult a mental health professional.

What can educators do about it?

• Ask the student directly if he/she is considering suicide. Ask "are you thinking of hurting yourself?" or whether he/she has

www.ChildrensMentalHealthMatters.org



coordinated by



naryland coalition of familie

made a specific plan and has done anything to carry it out. Explain the reasons for your concerns. Listen openly to the student, tell the student that you care deeply and that no matter how overwhelming his or her problems seem, help is available.

- Immediately contact the student's parents or guardians and get the student professional help from a doctor, community health center, counselor, psychologist, social worker, youth worker, or minister. You can also call 1-800-SUICIDE or look in your local phone book for suicide hotlines and crisis centers. In Maryland, call 1-800-422-0009.
- If the student is in immediate danger, call 911 and then contact their parents. If the student has a detailed plan or appears acutely suicidal and will not talk, he or she could be in immediate danger and it is important to get help right away. Do not leave the student alone and seek help immediately.
- Learn the warning signs, risks and other factors associated with suicide especially if the student has made suicidal attempts or threats in the past, the student knows that you are there for him/her, encourage him/her to seek you out in times of need, and if you are not there at the time when your child feels depressed or suicidal, have another support person to go to for help.

Resources/Links

National Association of School Psychologists: Preventing Suicide: Information for Families and Caregivers.

http://www.nasponline.org/publications/cq/cq354suicide.aspx

American Foundation for Suicide Prevention:

http://www.afsp.org

Suicide Information & Education Center (SIEC): http://www.suicideinfo.ca/

Yellow Ribbon Suicide Prevention Program for Parents: http://yellowribbon.org/parents/

Suicide Awareness\Voices of Education (SA\VE): http://www.save.org/

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org

Children's Mental Health Matters!

Facts For Educators

Traumatic Events

Trauma is caused by an unforeseen event that causes extreme fear and possible harm to a child. It is also referred to as emotional harm and it is the relatively normal reaction that occurs in response to an extreme event. A student's age, level of development, and availability of support will factor into how well he/she deals with the trauma. With psychiatric trauma, emotional and distressful memories are stored in the brain and can lead to other emotional and social problems. Trauma does not typically appear during the traumatic event, but rather once it is over. The trauma can appear within days, weeks, months or years.

Trauma-causing events can include but are not limited to:

- Violence (e.g. school shootings, witness/ victim of abuse)
- War
- Terrorism
- Sexual abuse
- Natural disaster (e.g., fire, hurricane, earthquake, flood)
- Accidents
- Medical procedures
- Serious threats (e.g. bomb threats)

Why is this important?

About 50% of children are exposed to a traumatic event. And, as many as 67% of trauma survivors experience lasting psychosocial impairment. Trauma can affect a child's brain and delay certain abilities which can make it harder for the child to concentrate and study. A traumatic event can also hinder a child's emotional maturity. The child may also experience many negative emotions in which he/she may feel extreme betrayal and a lack of faith in his/her life and the world. Trauma can have serious effects on a student's wellbeing physically, emotionally and academically. According to the American Psychiatric Association, educators can play an important role in the way they respond to trauma.

Some children will experience difficulty coping with the traumatic events and may develop **Post Traumatic Stress Disorder (PTSD)**, **Child Traumatic Stress (CTS)**, depression or overwhelming, prolonged grief.

PTSD is an anxiety disorder that occurs following exposure to an extreme stressor (i.e., when a person sees or is a part of a highly traumatic event). The event will usually be a life-threatening or extremely distressing situation that causes a person to feel intense fear, horror or a sense of helplessness. The risk of developing PTSD is related to the seriousness of the event, the child's proximity to the event, whether or not the event was repeated and the child's relationship to those affected.

CTS occurs when children and adolescents are exposed to traumatic events or traumatic situations, and when this exposure overwhelms their ability to cope with what they have experienced. Depending on their age, children respond to traumatic stress in different ways.

Signs & Symptoms

People respond in different ways to extreme trauma. Some people may:

- Relive the event
- Avoid reminders and experience frequent flashbacks
- Have ongoing fears related to the disaster (involving loss or separation from parents)
- Have sleep disturbances or nightmares
- Look on guard, uneasy or jumpy









- Seem disconnected or have relationship problems
- Have psychiatric problems such as depression, suicidal thoughts, dissociation (losing conscious awareness of the "here and now"), or anxiety
- Engage in aggressive and/or self-destructive behavior (i.e., alcohol or drug abuse, high-risk sexual behaviors)
- Have physical complaints (i.e., stress-related conditions, eating disorders, headaches)
- Have more absences from school/refusal to go to school
- Experience concentration difficulties or irritability

What can educators do about it?

- Early intervention is critical
- Remember that you are a role model for the student. Students will immediately pick up on how you respond to traumatic events.
- Refer the child to the school's counselor or a medical professional.
- Alert the student's parents.
- Answer the student's questions. Be as honest as possible, listen intently and use simple words. Be prepared to repeat answers and conversations. Offer plenty of class time for discussion if appropriate and avoid rumors and misconceptions. Make sure the students know that their feelings are perfectly normal.
- Implement activities aside from just open discussion (e.g. art projects) that may allow the students to express what they are feeling.
- Stick to as normal a classroom routine as possible.

Resources/Links

American Academy of Child & Adolescent Psychiatry Talking to Children about Terrorism and War - Tips on how to talk to children after a traumatic event occurs, not limited to terrorism/war. http://www.aacap.org/AACAP/Families_and_ Youth/Facts_for_Families/FFF-Guide/Talking-To-Children-About-Terrorism-And-War-087.aspx

Post-traumatic Stress Disorder (PTSD) - Defines PTSD, and gives symptoms of PTSD. http://www.aacap.org/ AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/ Posttraumatic-Stress-Disorder-PTSD-070.aspx National Center for PTSD/ PTSD in Children and Adolescents - Offers a fact sheet for PTSD in children and adolescents including diagnosis of PTSD, causes, risk factors, symptoms, and treatment.

http://www.ptsd.va.gov/professional/treatment/children/

The National Child Traumatic Stress Network Understanding Child Traumatic Stress Brochure – Defines Child Traumatic Stress, symptoms, PTSD, responses to stress and traumatic stress recovery. http://www.nctsnet.org/sites/default/ files/assets/pdfs/understanding_child_traumatic_stress_ brochure_9-29-05.pdf

National Child Traumatic Stress Network Resources for School Personnel. http://www.nctsn.org/resources/ audiences/school-personnel

National Institute of Mental Health Helping Children and Adolescents Cope with Violence and Disasters - offers tips for teachers. http://www.nimh.nih.gov/health/publications/ helping-children-and-adolescents-cope-with-violence-anddisasters-community-members/index.shtml#pub7

PBS America Responds - Links to lesson plans to teach lessons about the important lessons to be learned from tragedy.

http://www.pbs.org/americaresponds/educators.html

Thirteen Online Education: Dealing With Tragedy: Links to lesson plans to use in response to traumatic events. http://www.thirteen.org/edonline/tips.html#lessonplans

Dealing With Tragedy: Tips for teachers. http://www.thirteen.org/edonline/tips.html

Adapted from Resources found on: www.schoolmentalhealth.org March 2009

MHAMD ~ 443-901-1550 ~ www.mhamd.org

MCF ~ 410-730-8267 ~ www.mdcoalition.org